


LAIPPOJEN MITOITUSTAU LUKKO



D = laipan ulkohalkaisija (mm)

n = pulttien lukumäärä

d2 = reiän koko (mm)

k = säde keskilinja

DIN standard

DN	PN6				PN10				PN16				PN25				DN
	D	k	n	d2	D	k	n	d2	D	k	n	d2	D	k	n	d2	
15	80	55	4	11	95	65	4	14	95	65	4	14	95	65	4	14	15
20	90	65	4	11	105	75	4	14	105	75	4	14	105	75	4	14	20
25	100	75	4	11	115	85	4	14	115	85	4	14	115	85	4	14	25
32	120	90	4	14	140	100	4	18	140	100	4	18	140	100	4	18	32
40	130	100	4	14	150	110	4	18	150	110	4	18	150	110	4	18	40
50	140	110	4	14	165	125	4	18	165	125	4	18	165	125	4	18	50
65	160	130	4	14	185	145	4	18	185	145	4	18	185	145	4	18	65
80	190	150	4	18	200	160	4	18	200	160	4	18	200	160	8	18	80
100	210	170	4	18	220	180	8	18	220	180	8	18	235	190	8	23	100
125	240	200	8	18	250	210	8	18	250	210	8	18	270	220	8	27	125
150	265	225	8	18	285	240	8	23	285	240	8	23	300	250	8	27	150
200	320	280	8	18	340	295	8	23	340	295	12	23	360	310	8	27	200
250	375	335	12	18	395	350	12	23	405	355	12	27	425	370	12	30	250
300	440	395	12	23	445	400	12	23	460	410	12	27	485	430	12	30	300

ANSI (ASA) B 16. standard

JIS Standard

DN	Class 150 lbs				Class 300 lbs				JIS K5				JIS K10				DN
	D	k	n	d2	D	k	n	d2	D	k	n	d2	D	k	n	d2	
15	88,9	60,3	4	15,9	95,2	66,7	4	15,9	80,0	60	4	12	95	70	4	12	1/2"
20	98,4	69,8	4	15,9	117,5	82,5	4	19,0	85,0	65	4	12	100	75	4	12	3/4"
25	107,9	79,4	4	15,9	123,8	88,9	4	19,0	95,0	75	4	12	125	90	4	16	1"
32	117,5	88,9	4	15,9	133,3	98,4	4	19,0	115,0	90	4	15	135	100	4	16	1 1/4"
40	127,0	98,4	4	15,9	155,6	114,3	4	22,2	120,0	95	4	15	140	105	4	16	1 1/2"
50	152,4	120,6	4	19,0	165,1	127,0	8	19,0	130,0	105	4	15	155	120	4	16	2"
65	177,8	139,7	4	19,0	190,5	149,2	8	22,2	155,0	130	4	15	175	140	4	16	2 1/2"
80	190,5	152,4	4	19,0	209,5	168,3	8	22,2	180,0	145	4	19	185	150	8	16	3"
100	228,6	190,5	8	19,0	254,0	200,0	8	22,2	200,0	165	8	19	210	175	8	16	4"
125	254,0	215,9	8	22,2	279,4	234,9	8	22,2	235,0	200	8	19	250	210	8	20	5"
150	279,4	241,3	8	22,2	317,5	269,9	12	22,2	265,0	230	8	19	280	240	8	20	6"
200	342,9	298,4	8	22,2	381,0	330,2	12	25,4	320,0	280	8	23	330	290	12	20	8"
250	406,4	361,9	12	25,4	444,5	387,3	16	28,6	385,0	345	12	23	400	355	12	22	10"
300	482,6	431,8	12	25,4	520,7	450,8	16	31,7	430,0	390	12	23	445	400	16	22	12"