

Certificate of inspection & Test according to EN 10204 3.1

Customer	Porvoon Mittaletku OY	Our Reference	GSO231931
Your Reference	6312	Manometer	8973TG07
		Date	16-11-23
Hose Type	Multi-Chem Red 2" PTFE/SS 14BAR		
Item No.	G251433300050_F		
Length	1,85 Mtr		
Diameter	2"		
Connection 1	PHKC-SS-MALE 2" BSP + Kamlock SS 2"Type"D"BSP		
Connection 2	PHKC-SS-MALE 2" BSP + Kamlock SS 2"Type"A"BSP		

Serial No.	From Temp. (Celc)	Till Temp. (Celc)	Work Press. (Bar)	Test Press. (Bar)	Length before test (Mtr)	Length during test (Mtr)	Length after test (Mtr)	Final Length (Mtr)	Electr. Resist. (Ohm)	Weight (P/KG)
252836-11-23	-30,00	100,00	14,00	21,00	1,89	2,02	1,91	1,87	1,50	1,85

Inspection Date: 15-11-23

Pressure ratings: 0.7 bar/10 PSI at length before and after test
 1,5 time working pressure at length during test

Remarks

Hose Assemblies produced, tested and certified by third party according to EN 13765
 Hosecover: RED

Tested By Winston Witteling



Approved By Frank Maaskant



Certificate of inspection & Test according to EN 10204 3.1

Customer	Porvoon Mittaletku OY	Our Reference	GSO231931
Your Reference	6312	Manometer	8973TG07
		Date	16-11-23
Hose Type	Multi-Chem Red 3" PTFE/SS 14BAR		
Item No.	G251433300080_F		
Length	6 Mtr		
Diameter	3"		
Connection 1	PHKC-SS-MALE 3" BSP + Kamlock SS 3"Type"D"BSP		
Connection 2	PHKC-SS-MALE 3" BSP + Kamlock SS 3"Type"A"BSP		

Serial No.	From Temp. (Celc)	Till Temp. (Celc)	Work Press. (Bar)	Test Press. (Bar)	Length before test (Mtr)	Length during test (Mtr)	Length after test (Mtr)	Final Length (Mtr)	Electr. Resist. (Ohm)	Weight (P/KG)
252839-11-23	-30,00	100,00	14,00	21,00	6,08	6,53	6,17	6,05	4,70	4,50

Inspection Date: 15-11-23

Pressure ratings: 0.7 bar/10 PSI at length before and after test
 1,5 time working pressure at length during test


Remarks

Hose Assemblies produced, tested and certified by third party according to EN 13765
 Hosecover: BLUE

Tested By Winston Witteling



Approved By Frank Maaskant



Certificate of inspection & Test according to EN 10204 3.1

Customer	Porvoon Mittaletku OY	Our Reference	GSO231931
Your Reference	6312	Manometer	8973TG07
		Date	16-11-23
Hose Type	Multi-Chem Red 2" PTFE/SS 14BAR		
Item No.	G251433300050_F		
Length	8 Mtr		
Diameter	2"		
Connection 1	PHKC-SS-MALE 2" BSP + Kamlock SS 2"Type"D"BSP		
Connection 2	PHKC-SS-MALE 2" BSP + Kamlock SS 2"Type"A"BSP		

Serial No.	From Temp. (Celc)	Till Temp. (Celc)	Work Press. (Bar)	Test Press. (Bar)	Length before test (Mtr)	Length during test (Mtr)	Length after test (Mtr)	Final Length (Mtr)	Electr. Resist. (Ohm)	Weight (P/KG)
252837-11-23	-30,00	100,00	14,00	21,00	8,08	8,68	8,20	8,04	7,50	1,85
252838-11-23	-30,00	100,00	14,00	21,00	8,07	8,67	8,19	8,03	7,50	1,85

Inspection Date: 15-11-23

Pressure ratings: 0.7 bar/10 PSI at length before and after test
1,5 time working pressure at length during test

Remarks

Hose Assemblies produced, tested and certified by third party according to EN 13765
Hosecover: BLACK

Tested By Winston Witteling



Approved By Frank Maaskant

